

# VU Research Portal

## Modeling phase synchronization of interacting neuronal populations

Pietras, B.

2018

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

Pietras, B. (2018). *Modeling phase synchronization of interacting neuronal populations: From phase reductions to collective behavior of oscillatory neural networks*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

# TABLE OF CONTENTS

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Phase reduction techniques for oscillator networks</b>	<b>13</b>
<b>3</b>	<b>Collective behavior of coupled oscillators and their reduced phase models</b>	<b>61</b>
<b>4</b>	<b>Interactions between networks of heterogeneous phase oscillators</b>	<b>107</b>
<b>5</b>	<b>Parameter-dependent oscillatory systems</b>	<b>127</b>
<b>6</b>	<b>Criticality in neural mass phase oscillator models</b>	<b>153</b>
<b>7</b>	<b>Epilogue</b>	<b>173</b>
	<b>Supplementary material</b>	<b>191</b>
	<b>Bibliography</b>	<b>219</b>
	<b>Main contributions</b>	<b>235</b>
	<b>Summary</b>	<b>237</b>
	<b>Samenvatting</b>	<b>241</b>
	<b>Zusammenfassung</b>	<b>245</b>
	<b>Acknowledgements</b>	<b>249</b>



# CONTENTS

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Neural synchronization and oscillations . . . . .	3
1.1.1	From correlated behavior to phase synchrony . . . . .	5
1.1.2	Phase synchronization of large-scale brain networks . . . . .	6
1.2	Towards modeling . . . . .	6
1.2.1	Modeling large-scale oscillatory brain networks . . . . .	7
1.2.2	Modeling neural oscillators . . . . .	7
1.2.3	Phase and amplitude description of neural oscillators . . . . .	8
1.2.4	Collective dynamics of coupled phase oscillators . . . . .	9
1.3	Contributions of the dissertation & research questions . . . . .	10
1.4	Outline of the dissertation . . . . .	11
<b>2</b>	<b>Phase reduction techniques for oscillator networks</b>	<b>13</b>
2.1	Phase dynamics of oscillator networks . . . . .	14
2.1.1	Phase definition . . . . .	17
2.1.2	Phase response . . . . .	19
2.1.3	Phase dynamics of a single oscillator . . . . .	21
2.1.4	Phase dynamics of oscillator networks . . . . .	22
2.1.5	Collective behavior . . . . .	23
2.1.5.1	Synchronization . . . . .	24
2.1.5.2	Between incoherence and full synchrony . . . . .	25
2.2	Analytic phase reduction techniques . . . . .	27
2.2.1	Center manifold and normal form . . . . .	29
2.2.1.1	Hopf normal form . . . . .	33
2.2.1.2	Nonlinear coupling terms in Hopf normal forms* . . . . .	35
2.2.2	Identifying the Hopf normal form . . . . .	37
2.2.2.1	Kuramoto's reductive perturbation . . . . .	38
2.2.2.2	Poincaré's reduction via nonlinear transforms . . . . .	40
2.2.2.3	Takens' reduction via Lie brackets . . . . .	42
2.2.3	Interlude . . . . .	44
2.2.4	Winfrey's reduction via isochrons . . . . .	45
2.2.5	Kuramoto's reduction via Floquet eigenvectors . . . . .	46
2.2.6	Ashwin & Rodrigues' reduction via $S_N \times S^1$ -symmetry . . . . .	48

2.2.7	Haken's reduction via averaging . . . . .	51
2.3	Numerical phase reduction techniques . . . . .	53
2.3.1	Adjoint method . . . . .	54
2.3.1.1	Malkin's theorem . . . . .	55
2.3.1.2	Ermentrout & Kopell's reduction . . . . .	56
2.3.2	Direct method . . . . .	59
<b>3</b>	<b>Collective behavior of coupled oscillators and their reduced phase models</b>	<b>61</b>
3.1	Networks of identical Brusselators . . . . .	62
3.1.1	Single node dynamics . . . . .	62
3.1.2	Coupled Brusselators . . . . .	63
3.1.3	Identifying the Hopf normal form . . . . .	64
3.1.4	Comparing analytic and numerical phase reductions . . . . .	65
3.1.4.1	Linear coupling . . . . .	65
3.1.4.2	Nonlinear coupling . . . . .	69
3.1.5	Other analytic phase reduction techniques . . . . .	71
3.1.5.1	Isochrons, Floquet eigenvectors, $S_N \times S^1$ -symmetry . . . . .	71
3.1.5.2	Haken's reduction via averaging . . . . .	71
3.1.6	Summary & remarks . . . . .	72
3.2	Networks of identical Wilson-Cowan neural masses . . . . .	75
3.2.1	Single node dynamics . . . . .	76
3.2.2	Coupled Wilson-Cowan neural masses . . . . .	76
3.2.3	Identifying the Hopf normal form . . . . .	78
3.2.4	Haken's reduction via averaging . . . . .	81
3.2.5	Comparing analytic and numerical phase reductions . . . . .	82
3.2.6	Numerical methods identify collective dynamics . . . . .	85
3.2.7	Summary & remarks . . . . .	87
3.3	Discussion . . . . .	88
3.3.1	Low-dimensional description of network behavior . . . . .	89
3.3.2	Cluster states . . . . .	89
3.3.3	Identical versus heterogeneous oscillators . . . . .	90
3.3.4	Extended analytic phase reduction techniques . . . . .	91
3.3.4.1	Stochastic and time-varying systems . . . . .	91
3.3.4.2	Systems with delay . . . . .	94
3.3.5	Coupling functions . . . . .	95
3.3.5.1	Coupling-induced behavior . . . . .	97
3.3.5.2	Effects of structural connectivity . . . . .	99
3.3.6	Phase versus other oscillators . . . . .	104
3.3.6.1	Nonlinear oscillators . . . . .	104
3.3.6.2	Non-smooth oscillators . . . . .	104
3.3.7	Phase-amplitude models . . . . .	105
3.3.8	Analytic approaches versus numerics – a final word . . . . .	106

<b>4</b>	<b>Interactions between networks of heterogeneous phase oscillators</b>	<b>107</b>
4.1	‘Multimodal networks’ or ‘networks of networks’?	108
4.2	Revisiting the existing theory on interacting populations of Kuramoto phase oscillators	109
4.3	Two-population dynamics along the Ott-Antonsen ansatz	111
4.4	Extension to three interacting populations	117
4.4.1	Symmetric trimodal network	120
4.4.2	Three coupled symmetric networks	122
4.5	Discussion and conclusion	123
<b>5</b>	<b>Parameter-dependent oscillatory systems</b>	<b>127</b>
5.1	Collective dynamics and parameter dependence	128
5.2	Extending the Ott-Antonsen ansatz for parameter-dependent systems	129
5.2.1	Parameter-dependent systems	130
5.2.2	General parameter distributions	133
5.3	Networks of quadratic integrate-and-fire neurons	135
5.4	Further applications	136
5.4.1	Winfree model	138
5.4.2	Limit-cycle oscillations with shear	139
5.4.3	Heterogeneous mean field models	143
5.4.4	Non-local coupling	145
5.4.5	External forcing and time delay	146
5.5	Relaxation dynamics towards the Ott-Antonsen manifold	147
5.6	Discussion and conclusion	149
<b>6</b>	<b>Criticality in neural mass phase oscillator models</b>	<b>153</b>
6.1	Scale-freeness and partial synchronization	154
6.2	Phase description of neural mass models	155
6.2.1	Wilson-Cowan model	155
6.2.2	Freeman model	156
6.3	Comparing model behavior with experimental MEG data	160
6.3.1	Power-law behavior	160
6.3.2	Functional connectivity	160
6.3.3	Synchronization	161
6.4	Results	162
6.4.1	Power-law behavior	162
6.4.2	Functional connectivity & synchronization	162
6.5	Discussion	165
6.6	Conclusion	168
6.7	Appendix	169
6.7.1	Detrended fluctuation analysis with model comparison	169
6.7.2	Correlating functional and structural connectivity	171

<b>7 Epilogue</b>	<b>173</b>
7.1 Revisiting the research questions . . . . .	175
7.2 Networks of complex neural oscillators and phase reductions . . . . .	176
7.3 The predictive power and limitations of (reduced) phase models . . . . .	178
7.3.1 Observables . . . . .	180
7.3.2 Modeling experimental data . . . . .	182
7.4 Coupled neural masses and other neural oscillator models . . . . .	183
7.4.1 Emergence of higher harmonics in the phase interaction function . . .	183
7.4.2 A note on integrate-and-fire neurons . . . . .	186
7.5 Concluding remarks and outlook . . . . .	187
<b>Supplementary material</b>	<b>191</b>
S.1 Kuramoto's reductive perturbation . . . . .	192
S.2 Higher-order corrections and nonlinear coupling . . . . .	196
S.3 Poincaré's reduction via nonlinear transforms . . . . .	199
S.4 Takens' reduction via Lie brackets . . . . .	208
S.5 Ashwin & Rodrigues' reduction via $S_N \times S^1$ -symmetry . . . . .	211
S.6 Malkin's adjoint method . . . . .	216
S.7 Limit of infinite attraction method . . . . .	217
<b>Bibliography</b>	<b>219</b>
<b>Main contributions</b>	<b>235</b>
<b>Summary</b>	<b>237</b>
<b>Samenvatting</b>	<b>241</b>
<b>Zusammenfassung</b>	<b>245</b>
<b>Acknowledgements</b>	<b>249</b>